

MICROHANCE[®]

3-0-0

GUARANTEED ANALYSIS

Total Nitrogen (N)	3%
2.04% Ammoniacal Nitrogen (N)	
0.96 Urea Nitrogen (N)	
Sulfur (S)	1%
1% Combined Sulfur (S)	
Boron (B)	0.25%
0.25% Water Soluble Boron (B)	
Iron (Fe)	0.2%
0.15% Chelated Iron (Fe)	
Manganese (Mn)	0.25%
0.25% Chelated Manganese (Mn)	
Zinc (Zn)	0.25%
0.25% Chelated Zinc (Zn)	

Derived from Aqueous Ammonia, Urea, Sulfuric Acid, Boric Acid, Iron EDTA, Manganese EDTA, and Zinc EDTA

For Tobacco Use: Chlorine (Cl) Maximum 0.02%

DIRECTIONS FOR USE

Monty's Microhance may be applied in water, liquid fertilizers and suspensions, or with most pesticides. Application rates and dilution factors depend on crop sensitivity, the amount of foliage to be sprayed and the application method. Monty's recommends first taking a soil test or plant tissue test, and having a qualified lab analyze the samples to determine micronutrient levels in your soil or plant, then follow recommended applications.

Application guidelines for one growing season in the absence of a soil test or plant tissue test: 1 to 2 quarts per acre.

NOTICE

This micronutrient is intended only for the prevention and correction of boron, iron, sulfur, manganese and zinc deficiencies. Overuse on the intended crop, or under conditions other than those recommended, may result in serious injury to the crop. Monty's recommends use only in accordance with the recommendations of a qualified CCA, agronomist or dealer.

Net Contents - 2.5 US Gal (9.46 Liters)

Net Weight - 22 Lbs (10.1 Kg)

8.97 Lbs/Gal at 68° F



8682

F001360

6 36329 00726 2



www.montysplantfood.com
 Monty's Plant Food Company
 4800 Strawberry Lane
 Louisville, KY 40209
 800-978-6342

Monty's products are recommended as supplements to your current farming practices and are not recommended to replace the nutrients typically added to the soil. We suggest taking a soil and/or tissue test, have a qualified independent lab analyze the samples to determine nutrient levels in your soils and plants, and then follow the recommendations of a qualified CCA, agronomist or dealer.

When tank mixing any Monty's products with other farm chemicals, always read and follow the label directions of the chemical(s) you are considering and administer a jar test and/or a strip test before adding Monty's to your tank mix. When mixing with other farm chemicals, tank mix Monty's only after diluting the chemical according to label directions. Knowing the chemical's "mode of action" (block photosynthesis) or metal content (copper based) will help determine the compatibility of Monty's.

Storage and Handling

Use within 24 hours of mixing with water, chemicals or other products. Keep container closed when not in use. Avoid freezing. Products containing organic materials may settle and should be shaken or stirred if stored. Products containing living organisms should not be stored in direct sunlight or allowed to freeze; should not be carried over from one year to the next; and should be used during the growing season in which it was purchased. Store in a cool, dry place. Refer to the SDS for other safety and handling information.

Limited Warranty

Monty's warrants that this product meets its manufacturing specifications. If it does not, Monty's will, at its option, replace the product or refund the purchase price. In no event shall Monty's be liable for special, incidental or consequential damages or for damages in the nature of penalties. Monty's shall not be liable in any way for claims resulting from any use of this product which is not in strict accordance with all directions, cautions and warnings on the label or labels. For products containing living organisms, this warranty is limited to the "use by date" on the label.

FOR COMMERCIAL USE ONLY. KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. AVOID CONTACT WITH SKIN, EYES, OR CLOTHING.

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.aapfco.org/metals.htm>

